



CLAIMS


1. The cosmetic use of a composition containing at
least one oxazoline, serving as an active
5 substance, as a slimming product.
2. The cosmetic use of a composition containing at
least one oxazoline, serving as an active
substance, for preventing and/or treating
10 cellulitis.
3. The cosmetic use as claimed in either one of
claims 1 and 2, characterized in that said
oxazoline corresponds to the general formulae
15 below:



Type 1



Type 2



Type 3

5 in which R_1 represents a linear or branched, saturated or unsaturated C_1 - C_{40} alkyl group optionally comprising one or more ethylenic unsaturation(s) and also one or more substituent(s) chosen from the group formed by

hydroxyl (OH) and C₁-C₆ alkoxy (OC₁-C₆) radicals;
R₂, R₃, R₄ and R₅ represent, independently, a
hydrogen atom, a hydroxyl radical, or a linear or
branched, saturated or unsaturated C₁-C₃₀ alkyl
group optionally comprising one or more ethylenic
unsaturations and also one or more substituent(s)
chosen from the group formed by hydroxyl (OH),
C₁-C₆ alkoxy (OC₁-C₆) and C₁-C₆ alkoxy carbonyl
(COOC₁-C₆) radicals.


10

4. The cosmetic use as claimed in any one of
preceding claims, characterized in that said
oxazoline is a type 1 oxazoline selected from the
group composed of 2-undecyl-4-hydroxymethyl-4-
methyl-1,3-oxazoline, 2-undecyl-4,4-dimethyl-1,3-
oxazoline, (E)-4,4-dimethyl-2-heptadec-8-enyl-1,3-
oxazoline, 4-hydroxymethyl-4-methyl-2-heptadecyl-
1,3-oxazoline, (E)-4-hydroxymethyl-4-methyl-2-
heptadec-8-enyl-1,3-oxazoline and 2-undecyl-
4-ethyl-4-hydroxymethyl-1,3-oxazoline.

20

5. The cosmetic use as claimed in any one of the
preceding claims, characterized in that said
oxazoline is 2-undecyl-4,4-dimethyl-1,3-oxazoline,
called OX100, of formula:

25



6. The use as claimed in any one of the preceding
claims, characterized in that the composition
comprises between 0.01 and 10% by weight of
oxazoline, advantageously between 0.01 and 3% by
weight of oxazoline, relative to the total weight

30

of the composition, and a cosmetically acceptable medium.

- 5 7. The cosmetic use as claimed in any one of the preceding claims, characterized in that one or more oxazolines and also one or more slimming active agents of lipolytic type and/or one or more slimming active agents of liporeducing type are applied simultaneously, separately or spread out
10 over time.
- 15 8. The use as claimed in any one of the preceding claims, characterized in that one or more anti-infiltration and/or venotonic active agents are also applied simultaneously, separately or spread out over time.
- 20 9. The cosmetic use as claimed in any one of the preceding claims, characterized in that the composition is for topical application.
- 25 10. A cosmetic treatment method for promoting slimming, characterized in that a cosmetic composition containing one or more oxazolines is applied topically.
- 30 11. A cosmetic treatment method for preventing and/or treating cellulitis, characterized in that a composition containing one or more oxazolines is applied topically.
- 35 12. A cosmetic treatment method for slimming down the figure, accelerating the removal of excesses, and better defining the bodyshape and/or reshaping the figure, characterized in that a composition containing one or more oxazolines is applied topically.

13. The cosmetic treatment method as claimed in any one of claims 10 to 12, characterized in that one or more oxazolines and also one or more slimming active agents of lipolytic and/or liporeducing type and/or one or more anti-infiltration and/or venotonic active agents are applied topically to the areas of the skin liable to form localized excess weight, simultaneously, separately or spread out over time.